

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: _____ Examiner #: _____ Date: _____
 Art Unit: _____ Phone Number 30 _____ Serial Number: _____
 Mail Box and Bldg/Room Location: _____ Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc. if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: _____

Inventors (please provide full names): _____

Earliest Priority Filing Date: _____

**For Sequence Searches Only* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

STAFF USE ONLY

Searcher: Point of Contact:

Searcher Phone #: Alex W. Lawiw

Searcher Title: Technical Info. Specialist

Searcher ID: 0112014 Tel: 308-4434

Date Searcher Picked Up: 8-6-01

Date Completed: 8-6-01

Searcher Prep & Review Time: _____

Clencal Prep Time: _____

Online Time: _____

Type of Search

NA Sequence (#) _____

AA Sequence (#) _____

Structure (#) _____

Bibliographic ☒ _____

Litigation _____

Fulltext _____

Patent Family _____

Other _____

Vendors and cost where applicable

STN _____

Dialog _____

Questel/Orbit _____

Dr Link _____

Lexis/Nexis _____

Sequence Systems _____

WWW/Internet _____

Other _____

Yu 09/765,675

=> d his

(FILE 'REGISTRY' ENTERED AT 10:17:13 ON 06 AUG 2001)

DEL HIS Y
ACT AMPHI/A

L1 (1)SEA FILE=REGISTRY ABB=ON "POLYETHYLENE GLYCOL
ISOSTEARATE"/CN
L2 (1)SEA FILE=REGISTRY ABB=ON "DIGLYCERYL ISOSTEARATE"/CN
L3 (1)SEA FILE=REGISTRY ABB=ON "SORBITAN OLEATE"/CN
L4 (1)SEA FILE=REGISTRY ABB=ON "SORBITAN ISOSTEARATE"/CN
L5 (1686)SEA FILE=REGISTRY ABB=ON 143-07-7/CRN
L6 (3534)SEA FILE=REGISTRY ABB=ON 57-11-4/CRN
L7 (13106)SEA FILE=REGISTRY ABB=ON 56-81-5/CRN
L8 (73)SEA FILE=REGISTRY ABB=ON L7 AND L6 AND L5
L9 (35)SEA FILE=REGISTRY ABB=ON L8 AND DI
L10 (4)SEA FILE=REGISTRY ABB=ON L9 AND (DIESTER OR DIOCTADEC? OR
DIST
L11 (1437)SEA FILE=REGISTRY ABB=ON MONOOCTADEC?
L12 (7)SEA FILE=REGISTRY ABB=ON L9 AND L11
L13 (3)SEA FILE=REGISTRY ABB=ON L12 AND C51H94O6
L14 (7)SEA FILE=REGISTRY ABB=ON L13 OR L10
L15 (11)SEA FILE=REGISTRY ABB=ON L1 OR L2 OR L14 OR L3 OR L4

ACT ANIONIC/A

L16 (5)SEA FILE=REGISTRY ABB=ON ALKYL (L) ETHER# (L) CITR?
L17 (16)SEA FILE=REGISTRY ABB=ON SUCCIN? (L) ALKENYL
L18 (1)SEA FILE=REGISTRY ABB=ON "N-STEAROYL-L-GLUTAMIC ACID"/CN
L19 (5)SEA FILE=REGISTRY ABB=ON ("ACYLGLUTAMATE CT 12"/CN OR
"ACYLGLU
L20 (27)SEA FILE=REGISTRY ABB=ON L16 OR L17 OR L18 OR L19

ACT CATIONIC/A

L21 (1)SEA FILE=REGISTRY ABB=ON "N-STEAROYL-L-GLUTAMIC ACID"/CN
L22 (5)SEA FILE=REGISTRY ABB=ON ("ACYLGLUTAMATE CT 12"/CN OR
"ACYLGLU
L23 (6)SEA FILE=REGISTRY ABB=ON L21 OR L22

L24 (38)S L15 OR L20 OR L23

ACT POLYMER/A

L25 (1)SEA FILE=REGISTRY ABB=ON "QUATRISOFT LM 200"/CN
L26 (1)SEA FILE=REGISTRY ABB=ON "QUATRISOFT POLYMER LM 200"/CN
L27 (1)SEA FILE=REGISTRY ABB=ON L25 OR L26
L28 (1)SEA FILE=REGISTRY ABB=ON "CRODACEL QM"/CN
L29 (1)SEA FILE=REGISTRY ABB=ON "CRODACEL QL"/CN
L30 (1)SEA FILE=REGISTRY ABB=ON "CRODACEL QS"/CN
L31 (3)SEA FILE=REGISTRY ABB=ON L28 OR L29 OR L30
L32 (4)SEA FILE=REGISTRY ABB=ON L31 OR L27

FILE 'HCAPLUS' ENTERED AT 10:34:47 ON 06 AUG 2001

L33 (609)S L24
L34 (4)S ALKENYL (L) (SUCCINATE# OR SUCCINIC ACID#) (L) ALKOXYL?

Yu 09/765,675

L35 189 S ACYLGLUTAM?
L36 36821 S QUATERNARY (L) AMMONIUM?
L37 9252 S L36 (L) SALT#
L38 9990 S L33 OR L34 OR L35 OR L37
L39 107 S NANOEMULSION? OR NANO (L) EMULSION? OR METASTABLE (L)
EMULSIO
L40 13 S L38 AND L39
L41 357 S LIPID# (L) AMPHIPHIL?
L42 8 S L41 AND L39
L43 91 S L32 OR QUATRISOFT OR CRODACEL OR 8781 OR 9492
L44 14729 S CATION? (L) POLYMER#
L45 14794 S L43 OR L44
L46 203 S L45 AND L38
L47 0 S L46 AND L39
L48 15 S L46 AND EMULSION?
L49 0 S TURBIDITY AND L39
L50 4380 S COSMETIC? (L) EMULS?
L51 1 S L50 AND L46
L52 72968 S 62/SC,SC
L53 93697 S 62/SC,SX
L54 35 S L53 AND L46
L55 3 S L54 AND EMULS?
L56 18 S L55 OR L51 OR L42 OR L40

=> d .ca hitstr l56 1-18

L56 ANSWER 1 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2001:559553 HCAPLUS

TITLE: **Nanoemulsion** containing **amphiphilic lipids** and a nonionic polymer and its use in cosmetics

INVENTOR(S): Douin, Veronique; Cazin, Benedicte; Simonnet, Jean Thierry; Aubrun, Odile

PATENT ASSIGNEE(S): L'Oreal S.A., Fr.

SOURCE: Eur. Pat. Appl., 25 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1120102	A2	20010801	EP 2000-403576	20001218
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
PRIORITY APPLN. INFO.:			FR 2000-793	A 20000121
AB Unavailable				
IC ICM A61K007-00				
ICS A61K007-06				
CC 62 (Essential Oils and Cosmetics)				

L56 ANSWER 2 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2001:559552 HCAPLUS

TITLE: **Nanoemulsion** containing **amphiphilic lipids** and a PEG ester and its use in

cosmetics
 INVENTOR(S): Verite, Claude; Cazin, Benedicte; Douin, Veronique;
 Aubrun, Odile; Simonnet, Jean Thierry
 PATENT ASSIGNEE(S): L'Oreal S.A., Fr.
 SOURCE: Eur. Pat. Appl., 21 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1120101	A2	20010801	EP 2000-403574	20001218
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
PRIORITY APPLN. INFO.:			FR 2000-794	A 20000121
AB Unavailable				
IC ICM A61K007-00				
ICS A61K007-06				
CC 62 (Essential Oils and Cosmetics)				

L56 ANSWER 3 OF 18 HCAPLUS COPYRIGHT 2001 ACS
 ACCESSION NUMBER: 2000:553219 HCAPLUS
 DOCUMENT NUMBER: 133:155164
 TITLE: **Nanoemulsion from alkoxylated
 alkenyl succinates or
 alkoxylated alkenyl
 succinates of glucose and its cosmetic,
 dermatologic, ophthalmologic, and/or pharmaceutical
 uses**

INVENTOR(S): Simonnet, Jean-thierry; Sonnevile, Odile; Legret,
 Sylvie
 PATENT ASSIGNEE(S): L'Oreal, Fr.
 SOURCE: Eur. Pat. Appl., 11 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1025898	A1	20000809	EP 2000-400009	20000104
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2788980	A1	20000804	FR 1999-1178	19990202
BR 2000000417	A	20000912	BR 2000-417	20000127
JP 2000226314	A2	20000815	JP 2000-24373	20000201
CN 1270019	A	20001018	CN 2000-101988	20000201

PRIORITY APPLN. INFO.: FR 1999-1178 A 19990202
 OTHER SOURCE(S): MARPAT 133:155164
 AB Cosmetic, dermatol., ophthalmol., and/or pharmaceutical nanoemulsions
 with

oil globules <100 nm contain surfactants chosen from alkoxylated alkenyl
 succinates or alkoxylated alkenyl succinates of glucose and an oil having
 mol. wt. >400, the ratio of oily phase to surfactant is 2:10. The

nanoemulsion is transparent and stable over storage. A make-up remover fluid contained Acylglutamate HS21 0.5 isocetyl stearate 10, iso-Pr myristate 5, ethoxylated dihexadecenyl succinate 4.5, 1 M sodium hydroxide 3, glycerin 5, dipropylene glycol 10, and water 62%.

IC ICM B01F017-00
ICS A61K007-00

CC 62-4 (Essential Oils and Cosmetics)

ST cosmetic **nanoemulsion alkoxylated alkenyl glucose succinate**; dermatol **nanoemulsion alkoxylated alkenyl glucose succinate**; pharmaceutical **nanoemulsion alkoxylated alkenyl glucose succinate**; ophthalmol **nanoemulsion alkoxylated alkenyl glucose succinate**

IT Sulfonates
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkanesulfonates, derivs.; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(animal; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Skin, disease
(dry; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Cosmetics
Drug delivery systems
(emulsions, nano-; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Amino acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(lipo; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Cosmetics
(makeups; **nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

IT Hair preparations
(**nanoemulsion from alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

- IT Alcohols, biological studies
Carbohydrates, biological studies
Glycols, biological studies
Lipids, biological studies
Paraffin oils
Phospholipids, biological studies
Polysiloxanes, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(**nanoemulsion** from **alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)
- IT Drug delivery systems
(ophthalmic; **nanoemulsion** from **alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)
- IT Phosphatidic acids
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(sodium salts; **nanoemulsion** from **alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)
- IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable; **nanoemulsion** from **alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)
- IT 110-27-0, Iso Propyl myristate 1256-86-6D, Cholesteryl sulfate, alkali metal salts 2197-63-9D, Dicetyl phosphate, alkali metal salts 4358-16-1D, Cholesteryl phosphate, alkali metal salts 6640-03-5D, Dimyristyl phosphate, alkali metal salts 25339-09-7, Isocetyl stearate 287728-36-3 287728-38-5 287728-39-6 287728-40-9
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(**nanoemulsion** from **alkoxylated alkenyl succinates** or **alkoxylated alkenyl succinates** of glucose and its cosmetic, dermatol., ophthalmol. and/or pharmaceutical uses)

REFERENCE COUNT: 1

REFERENCE(S): (1) Oreal; EP 0813860 A 1997 HCAPLUS

L56 ANSWER 4 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2000:456698 HCAPLUS

DOCUMENT NUMBER: 133:63637

TITLE: **Nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in the fields of cosmetics, dermatology and/or ophthalmology

INVENTOR(S): Simmonet, Jean-Thierry; Sonnevillie, Odile; Legret, Sylvie

PATENT ASSIGNEE(S): L'Oreal, Fr.

SOURCE: Eur. Pat. Appl., 11 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1016453	A1	20000705	EP 1999-402855	19991117
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787703	A1	20000630	FR 1998-16570	19981229
FR 2787703	B1	20010126		
BR 9906206	A	20010206	BR 1999-6206	19991210
JP 2000191503	A2	20000711	JP 1999-371720	19991227
CN 1266679	A	20000920	CN 1999-127471	19991228

PRIORITY APPLN. INFO.:

FR 1998-16570 A 19981229

OTHER SOURCE(S): MARPAT 133:63637

AB A nanoemulsion having oil globules with av. size <100 nm contains (1) a surfactant, which is solid at .ltoreq.45.degree.C, chosen from ethoxylated

fatty ethers or esters, and (2) an oil having mol. wt. >400, where the wt.

ratio of oil phase to surfactant is 2-10:1. The surfactant can be an ethoxylated ether of behenic alc. (5-30 ethoxy units) or stearyl alc. (2 ethoxy units), an ethoxylated ester of stearic acid (40 ethoxy units) or behenic acid (8 ethoxy units), or their mixts. The nanoemulsion is transparent and stable with turbidity 60-600 NTU. It can be used in cosmetics and topical pharmaceuticals or ophthalmol. formulations. The nanoemulsion can be used for moisturizing dry skin and mucous membranes, treatment of hair, and as collyrium (eye lotion) for treatment of the eyes. In an example, a make-up removing liq. contained Brij 72 4.5, disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 10, iso-Pr myristate 5, glycerin 5, dipropylene glycol 10 and water 65%. The transparent gel had globule size of 47 nm and turbidity

of

222 NTU.

IC ICM B01F017-00

ICS A61K007-00

CC 62-4 (Essential Oils and Cosmetics)

Section cross-reference(s): 63

ST cosmetic **nanoemulsion** ethoxylated fatty ether ester; dermatol

nanoemulsion ethoxylated fatty ether ester; ophthalmol

nanoemulsion ethoxylated fatty ether ester; fatty ether ester

ethoxylated surfactant **nanoemulsion**

IT Sulfonates

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(alkanesulfonates; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT **Lipids**, biological studies

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(**amphiphilic**, anionic, cationic, sulfonated;

nanoemulsion based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Fats and Glyceridic oils, biological studies

- RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(avocado; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Skin, disease
(dry; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
Drug delivery systems
(emulsions, **nanoemulsions**; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fatty acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ethoxylated, C16-22; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Alcohols, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fatty, ethoxylated, C16-22; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Amines, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fatty, salts; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Amino acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(lipo, salts; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
(makeups; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Hair preparations
Perfumes
(**nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Alcohols, biological studies
Carbohydrates, biological studies
Fats and Glyceridic oils, biological studies
Glycols, biological studies
Hydrocarbon oils
Phospholipids, biological studies
Polysiloxanes, biological studies
Quaternary ammonium compounds, biological studies
Soybean oil
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

- (**nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Emulsions
(**nanoemulsions**; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Drug delivery systems
(ophthalmic; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Phosphatidic acids
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(sodium salts; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
(solns.; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Drug delivery systems
(topical; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 9005-00-9, Polyethylene glycol, monostearyl ether
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(Brij 72; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 53058-35-8, Polyethylene glycol, monobehenate
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(Compritol HD5 ATO; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 26636-40-8, Polyethylene glycol, monobehenyl ether
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(Nikkol BB10; **nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 56-81-5, Glycerin, biological studies 58-95-7, Vitamin E acetate
64-17-5, Ethanol, biological studies 110-27-0, Isopropyl myristate
1256-86-6D, Cholesterol sulfate, alkali metal salts 2197-63-9D, Dicetyl phosphate, alkali metal salts 4358-16-1D, Cholesterol phosphate, alkali metal salts 6640-03-5D, Dimyristyl phosphate, alkali metal salts 9004-99-3, Polyethylene glycol, monostearate 17301-53-0, Behenyltrimethylammonium chloride 25265-71-8, Dipropylene glycol 25339-09-7, Isocetyl stearate 38079-62-8, **Acylglutamate**
HS21

Yu 09/765,675

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(**nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT 38079-62-8, **Acylglutamate** HS21


RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(**nanoemulsion** based on ethoxylated fatty ethers or esters and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

RN 38079-62-8 HCAPLUS

CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



• 2 Na

REFERENCE COUNT:

2

REFERENCE(S):

(1) L'Oreal; EP 0842652 A 1998 HCAPLUS

(2) Vesifact Ag; EP 0852941 A 1998 HCAPLUS

L56 ANSWER 5 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2000:441331 HCAPLUS

DOCUMENT NUMBER: 133:63629

TITLE: **Nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatology, pharmaceuticals and/or ophthalmology

INVENTOR(S): Simmonet, Jean-Thierry; Legret, Sylvie; Sonnevill, Odile

PATENT ASSIGNEE(S): L'Oreal, Fr.

SOURCE: Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1013338	A1	20000628	EP 1999-402856	19991117
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787728	A1	20000630	FR 1998-16370	19981223
FR 2787728	B1	20010126		
JP 2000191502	A2	20000711	JP 1999-361818	19991220
PRIORITY APPLN. INFO.:			FR 1998-16370	A 19981223
OTHER SOURCE(S):	MARPAT 133:63629			

AB A nanoemulsion having oil globules with av. size <100 nm contains an anionic surfactant chosen from fatty esters of phosphoric acid and its ethoxylated derivs., and an oil having mol. wt. >400; the ratio of the oil phase to surfactant is 2:10. The nanoemulsion is transparent and stable. The nanoemulsion is used for moisturizing dry skin and mucous, treatment of hair, and as collyrium for the treatment of eye. A make-up remover contained disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 10, iso-Pr palmitate 5, glycerin 5, dipropylene glycol 10, 1N sodium hydroxide 5, Hostaphat CG120 4.5, and water 60%. The transparent gel had globule size of 57 nm and turbidity of 250 NTU.

IC ICM B01F017-00
ICS A61K007-00

CC 62-4 (Essential Oils and Cosmetics)
Section cross-reference(s): 63

ST cosmetic **nanoemulsion** fatty ester phosphoric acid; dermatol
nanoemulsion fatty ester phosphoric acid; ophthalmol
nanoemulsion fatty ester phosphoric acid

IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(animal; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Surfactants
(anionic; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Skin, disease
(dry; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Cosmetics
(**emulsions**, **nano-**; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Alcohols, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(fatty, esters with phosphoric acid; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Cosmetics
(gels; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Amino acids, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(lipo, alkali salts; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Cosmetics
(makeup removers; **nanoemulsion** based on fatty esters of

phosphoric acid and uses thereof in the fields of cosmetics, dermatol.,
 pharmaceuticals and/or ophthalmol.)

IT Cosmetics
 (makeups; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Hair preparations
 (**nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Alcohols, biological studies
 Carbohydrates, biological studies
 Fats and Glyceridic oils, biological studies
 Glycols, biological studies
 Paraffin oils
 Phospholipids, biological studies
 Polysiloxanes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (**nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Drug delivery systems
 (ophthalmic; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Cosmetics
 (solns.; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT Fats and Glyceridic oils, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (vegetable; **nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)


IT 110-27-0, Isopropylmyristate 1256-86-6D, Cholesterol sulfate, alkali salts 2197-63-9D, Dicetylphosphate, alkali salts 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 7632-05-5, Sodium phosphate 7664-38-2D, Phosphoric acid, fatty esters 25339-09-7, Isocetyl stearate **38079-62-8**, (**Acylglutamate** HS21) 39471-52-8, Stearyl phosphate 56831-62-0 68814-13-1, Cetyl phosphate 132324-29-9, Isostearyl phosphate 217087-62-2, Hostaphat CG120
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (**nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

IT **38079-62-8**, (**Acylglutamate** HS21)
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (**nanoemulsion** based on fatty esters of phosphoric acid and uses thereof in the fields of cosmetics, dermatol., pharmaceuticals and/or ophthalmol.)

RN 38079-62-8 HCAPLUS

CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● 2 Na

REFERENCE COUNT: 2
 REFERENCE(S): (1) L'Oreal; EP 0842652 A 1998 HCAPLUS
 (2) Vesifact Ag; EP 0852941 A 1998 HCAPLUS

L56 ANSWER 6 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2000:420746 HCAPLUS

DOCUMENT NUMBER: 133:48692

TITLE: **Nanoemulsion** based on fatty esters of glycerol and uses thereof in the fields of cosmetics, dermatology and/or ophthalmology

INVENTOR(S): Simonnet, Jean Thierry; Sonnevile, Odile; Legret, Sylvie

PATENT ASSIGNEE(S): L'Oreal, Fr.

SOURCE: Eur. Pat. Appl., 11 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1010416	A1	20000621	EP 1999-402915	19991123
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787326	A1	20000623	FR 1998-15950	19981217
FR 2787326	B1	20010126		
BR 9907333	A	20010206	BR 1999-7333	19991208
JP 2000178132	A2	20000627	JP 1999-353752	19991213
CN 1265923	A	20000913	CN 1999-126428	19991216
PRIORITY APPLN. INFO.:			FR 1998-15950	A 19981217

OTHER SOURCE(S): MARPAT 133:48692

AB A nanoemulsion having oil globules with av. size <100 nm contains a surfactant, which is solid at .ltoreq.45.degree., chosen from fatty acid esters of glycerol and an oil having mol. wt. >400; the ratio of the oil phase to surfactant is 2:10. The nanoemulsion is transparent and stable. The nanoemulsion is used for moisturizing dry skin and mucous, treatment of hair, and as collyrium for the treatment of eye. A make-up liq. contained Nikkol Decaglyn 3S 4.5, disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 10, iso-Pr myristate 5, glycerin 5, dipropylene glycol 10, and water 65%. The transparent gel

had

globule size of 50 nm and turbidity of 176 NTU.

IC ICM A61K007-00
ICS B01F017-00

CC 62-4 (Essential Oils and Cosmetics)
Section cross-reference(s): 63

ST cosmetic **nanoemulsion** fatty acid ether sugar; dermatol
nanoemulsion fatty acid ether sugar; ophthalmol
nanoemulsion fatty acid ether sugar

IT Sulfonates
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(alkanesulfonates, derivs.; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(animal; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Skin, disease
(dry; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Cosmetics
(**emulsions, nano-**; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Fatty acids, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(esters, with glycerol; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Amino acids, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(lipo, alkali salts; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Cosmetics
(makeup removers; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)


IT Cosmetics
(makeups; **nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Hair preparations
Surfactants
(**nanoemulsion** based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

IT Alcohols, biological studies
Fats and Glyceridic oils, biological studies
Glycols, biological studies
Jojoba oil
Paraffin oils
Phospholipids, biological studies
Polysiloxanes, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES

- (Uses)
 (nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Drug delivery systems
 (ophthalmic; nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
 (solns.; nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fats and Glyceridic oils, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (vegetable; nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 56-81-5D, Glycerin, fatty acid esters 110-27-0, Isopropylmyristate 1256-86-6D, Cholesterol sulfate, alkali salts 2197-63-9D, Dicetylphosphate, alkali salts 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 7632-05-5, Sodium phosphate 12694-22-3, Diglycerol monostearate 12709-64-7, Nikkol Decaglyn 3S 12764-60-2, Decaglycerin distearate 25339-09-7, Isocetyl stearate **38079-62-8**, (Acylglutamate HS21) 79777-30-3, Decaglycerin monostearate 95461-64-6, Decaglycerol pentastearate
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT **38079-62-8**, (Acylglutamate HS21)
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (nanoemulsion based on fatty esters of glycerol and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- RN 38079-62-8 HCAPLUS
 CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● 2 Na

REFERENCE COUNT: 1
 REFERENCE(S): (1) L'Oreal; EP 0728460 A 1996 HCAPLUS

L56 ANSWER 7 OF 18 HCAPLUS COPYRIGHT 2001 ACS
 ACCESSION NUMBER: 2000:420745 HCAPLUS
 DOCUMENT NUMBER: 133:48691
 TITLE: Nanoemulsion based on fatty esters of

oxyethylated or non- oxyethylated sorbitan and uses thereof in the fields of cosmetics, dermatology

and/or


ophthalmology
 INVENTOR(S): Simmonet, Jean-Thierry; Sonnevile, Odile; Legret, Sylvie
 PATENT ASSIGNEE(S): L'Oreal, Fr.
 SOURCE: Eur. Pat. Appl., 10 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1010415	A1	20000621	EP 1999-402875	19991119
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787325	A1	20000623	FR 1998-15949	19981217
FR 2787325	B1	20010126		
BR 9907331	A	20010206	BR 1999-7331	19991207
JP 2000178131	A2	20000627	JP 1999-353750	19991213
CN 1265879	A	20000913	CN 1999-126429	19991216
PRIORITY APPLN. INFO.:			FR 1998-15949	A 19981217
OTHER SOURCE(S):	MARPAT 133:48691			
AB	A nanoemulsion having oil globules with av. size <100 nm contains (1) a surfactant, which is solid at .ltoreq.45.degree., chosen from fatty esters of sorbitan or ethoxylated sorbitan, (2) an oil having mol. wt. >400, (3) and an amphiphilic ionic lipid chosen from alkali salts of dicetyl or dimyristyl phosphate, alkali salts of cholesterol sulfate, and cholesterol phosphate, lipoaminoadids, sodium phosphates, amphiphilic cationic lipids and derivs. of alkyl sulfonic acid; the ratio of the oil phase to surfactant is 2:10. The surfactant used is chosen from sorbitan monostearate, sorbitan monopalmitate, and ethoxylated sorbitan tristearate. The nanoemulsion is transparent and stable. The nanoemulsion is used for moisturizing dry skin and mucous, treatment of hair, and as collyrium for the treatment of eye. A make-up fluid contained Tween-65 4.5, disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 10, iso-Pr palmitate 5, glycerin 5, dipropylene glycol 10, and water 65%. The transparent gel had globule size of 44 nm and turbidity of 168 NTU.			
IC	ICM A61K007-00 ICS B01F017-00			
CC	62-4 (Essential Oils and Cosmetics) Section cross-reference(s): 63			
ST	cosmetic nanoemulsion sorbitan fatty acid ester; dermatol nanoemulsion sorbitan fatty acid ester; ophthalmol nanoemulsion sorbitan fatty acid ester			
IT	Sulfonates RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (alkanesulfonates, derivs.; nanoemulsion based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof			

- in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fats and Glyceridic oils, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (animal; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fats and Glyceridic oils, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (avocado; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Skin, disease
 (dry; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
 (**emulsions, nano-**; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fatty acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (esters; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Amino acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (lipo, alkali salts; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Cosmetics
 (makeups; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Hair preparations
 Surfactants
 (**nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Alcohols, biological studies
 Fats and Glyceridic oils, biological studies
 Glycols, biological studies
 Lipids, biological studies
 Paraffin oils
 Polysiloxanes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (**nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Drug delivery systems
 (ophthalmic; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)

- IT Cosmetics
(solns.; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(vegetable; **nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT 56-86-0D, Glutamic acid, acyl derivs., salts 142-91-6, Isopropyl palmitate 1256-86-6D, Cholesterol sulfate, alkali salts 1338-41-6, Sorbitan monostearate 2197-63-9, Dicetylphosphate 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 7632-05-5, Sodium phosphate 9005-71-4, Tween 65 17301-53-0, Behenyltrimethylammonium chloride 25265-71-8, Dipropylene glycol 25339-09-7, Isocetyl stearate 26266-57-9, Sorbitan monopalmitate, **38079-62-8, (Acylglutamate HS21)**
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- IT **38079-62-8, (Acylglutamate HS21)**
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** based on fatty esters of oxyethylated or non- oxyethylated sorbitan and uses thereof in fields of cosmetics, dermatol. and/or ophthalmol.)
- RN 38079-62-8 HCAPLUS
CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● 2 Na

REFERENCE COUNT: 1
REFERENCE(S): (1) L'Oreal; EP 0728460 A 1996 HCAPLUS

L56 ANSWER 8 OF 18 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2000:420744 HCAPLUS
DOCUMENT NUMBER: 133:48690
TITLE:

Nanoemulsion based on mixed esters of a fatty acid or alcohol, of a carboxylic acid and glycerol, and uses thereof in the cosmetic, dermatological and/or opthalmological fields
INVENTOR(S): Sonnevile, Odile; Simonnet, Jean-Thierry; Legret,

PATENT ASSIGNEE(S): Sylvie
 SOURCE: L'Oreal, Fr.
 Eur. Pat. Appl., 10 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1010414	A1	20000621	EP 1999-402837	19991116
EP 1010414	B1	20010404		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787026	A1	20000616	FR 1998-15764	19981214
FR 2787026	B1	20010112		
AT 200218	E	20010415	AT 1999-402837	19991116
JP 2000178129	A2	20000627	JP 1999-352422	19991210
PRIORITY APPLN. INFO.: FR 1998-15764			A	19981214
OTHER SOURCE(S): MARPAT 133:48690				
AB	A nanoemulsion having oil globules with av. size <100 nm contains a surfactant, which is solid at .ltoreq.45.degree., chosen from esters of fatty acids or fatty alcs., carboxylic acid and glycerol, and an oil having mol. wt. >400; the ratio of the oil phase to surfactant is 2:10. The nanoemulsion is transparent and stable. The nanoemulsion is used for moisturizing dry skin and mucous, treatment of hair, and as collyrium for the treatment of eye. A make-up fluid contained Imwitor 780K 4.5, disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 20, iso-Pr palmitate 5, glycerin 5, dipropylene glycol 10, and water 65%. The transparent gel had globule size of 57 nm and turbidity			
of	251 NTU.			
IC	ICM A61K007-00			
	ICS B01F017-00			
CC	62-4 (Essential Oils and Cosmetics)			
	Section cross-reference(s): 63			
ST	cosmetic nanoemulsion fatty acid alc carboxylate; dermatol nanoemulsion fatty acid glycerol carboxylate; ophthalmol nanoemulsion fatty acid alc carboxylate			
IT	Fats and Glyceridic oils, biological studies			
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)			
	(animal; nanoemulsion based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)			
IT	Skin, disease			
	(dry; nanoemulsion based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)			
IT	Cosmetics			
	(emulsions, nano-; nanoemulsion based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)			
IT	Fatty acids, biological studies			
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)			

- (esters; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Alcohols, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (fatty, esters; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Carboxylic acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (hydroxy; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Amino acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (lipo, alkali salts; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Cosmetics
 (makeups; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Hair preparations
 Surfactants
 (**nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Alcohols, biological studies
 Fats and Glyceridic oils, biological studies
 Glycols, biological studies
 Lipids, biological studies
 Paraffin oils
 Polysiloxanes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (**nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Drug delivery systems
 (ophthalmic; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Cosmetics
 (solns.; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)
- IT Fats and Glyceridic oils, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (vegetable; **nanoemulsion** based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)

IT 50-21-5D, Lactic acid, esters 56-81-5, 1,2,3-Propanetriol, biological studies 60-33-3D, Linolic acid, esters 77-92-9D, Citric acid, ester 79-14-1D, Glycolic acid, esters 110-15-6D, Succinic acid, esters 112-80-1D, Oleic acid, esters 142-91-6, Isopropyl palmitate 1256-86-6D, Cholesterol sulfate, alkali salts 2197-63-9D, Dicetylphosphate, alkali salts 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 6915-15-7D, Malic acid, esters 7632-05-5, Sodium phosphate 11099-07-3, Glyceryl stearate 25339-09-7, Isocetyl stearate 27195-16-0, Sucrose distearate 38079-62-8, (Acylglutamate HS21) 66085-00-5, Imwitor 780K 69552-98-3, Glyceryl succinate 98113-15-6, Glycerin citrate 110343-04-9, Glycerin lactate

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(nanoemulsion based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)

IT 38079-62-8, (Acylglutamate HS21)


RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(nanoemulsion based on mixed esters of fatty acid or alc., of carboxylic acid and glycerol, and uses thereof in cosmetic, dermatol. and/or opthalmol. fields)

RN 38079-62-8 HCAPLUS

CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



• 2 Na

REFERENCE COUNT: 1
REFERENCE(S): (1) L'Oreal; EP 0728460 A 1996 HCAPLUS

L56 ANSWER 9 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2000:420743 HCAPLUS

DOCUMENT NUMBER: 133:63593

TITLE: Nanoemulsion based on fatty acid esters or ethers of sugar and uses thereof in the cosmetical, dermatological and/or opthalmological fields

INVENTOR(S): Simonnet, Jean-Thierry; Sonnevillie, Odile; Legret, Sylvie

PATENT ASSIGNEE(S): L'Oreal, Fr.

SOURCE: Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent


LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1010413	A1	20000621	EP 1999-402836	19991116
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
FR 2787027	A1	20000616	FR 1998-15765	19981214
FR 2787027	B1	20010112		
BR 9907330	A	20010206	BR 1999-7330	19991206
JP 2000178130	A2	20000627	JP 1999-352423	19991210
CN 1257704	A	20000628	CN 1999-126145	19991213
PRIORITY APPLN. INFO.:			FR 1998-15765	A 19981214
OTHER SOURCE(S):			MARPAT 133:63593	
AB	A nanoemulsion having oil globules with av. size <100 nm contains a surfactant, which is solid at .ltoreq.45.degree., chosen from fatty acid esters or ethers of sugars and an oil having mol. wt. >400; the ratio of the oil phase to surfactant is 2:10. The nanoemulsion is transparent and stable. The nanoemulsion is used for moisturizing dry skin and mucous, treatment of hair, and as collyrium for the treatment of eye. A make-up gel contained Crodesta F50 4.5, disodium N-stearoyl L-glutamic acid (Acylglutamate HS21) 0.5, isocetyl stearate 20, C11-13 isoparaffin 2.5, isohexadecane 2.5, glycerin 5, dipropylene glycol 10, and water 55%. The transparent gel had globule size of 45 nm and turbidity of 260 NTU.			
IC	ICM A61K007-00			
CC	62-4 (Essential Oils and Cosmetics)			
	Section cross-reference(s): 63			
ST	cosmetic nanoemulsion fatty acid ether sugar; dermatol nanoemulsion fatty acid ether sugar; ophthalmol nanoemulsion fatty acid ether sugar			
IT	Isoalkanes RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (C11-13; nanoemulsion based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)			
IT	Glycosides RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (alkyl polyglycosides; nanoemulsion based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)			
IT	Fats and Glyceridic oils, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (animal; nanoemulsion based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)			
IT	Fats and Glyceridic oils, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (avocado; nanoemulsion based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)			
IT	Skin, disease			

- (dry; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Cosmetics
(**emulsions, nano-**; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Fatty acids, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(esters, with sugars; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Carbohydrates, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(fatty acid esters and esters; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Cosmetics
(gels; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Amino acids, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(lipo, alkali salts; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Cosmetics
(makeups; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Hair preparations
Surfactants
(**nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Alcohols, biological studies
Fats and Glyceridic oils, biological studies
Glycols, biological studies
Jojoba oil
Paraffin oils
Phospholipids, biological studies
Polysiloxanes, biological studies
Soybean oil
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Drug delivery systems
(ophthalmic; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)
- IT Cosmetics
(solns.; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or opthalmol. fields)

- IT Perfumes
(toilet waters; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or ophtalmol. fields)
- IT Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(vegetable; **nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or ophtalmol. fields)
- IT 50-99-7D, Glucose, fatty acid esters and ethers 57-48-7D, Fructose, fatty acid esters and ethers 57-50-1D, Sucrose, fatty acid esters and ethers 58-95-7, Vitamin e acetate 69-79-4D, Maltose, fatty acid esters
and ethers 110-27-0, Isopropylmyristate 1256-86-6D, Cholesterol sulfate, alkali salts 2197-63-9D, Dicetylphosphate, alkali salts 3149-68-6D, fatty acid esters and ethers 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 7632-05-5, Sodium phosphate 25168-73-4, Sucrose monostearate 25339-09-7, Isocetyl stearate 25618-55-7, Polyglycerol 27195-16-0, Sucrose distearate 27923-63-3, Sucrose tristearate **38079-62-8**, (**Acylglutamate** HS21) 60908-77-2, Isohexadecane 115469-31-3, Crodesta f50 157175-98-9, Tego care 450 188070-46-4
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or ophtalmol. fields)
- IT **38079-62-8**, (**Acylglutamate** HS21)
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** based on fatty acid esters or ethers of sugar and uses thereof in cosmetical, dermatol. and/or ophtalmol. fields)
- RN 38079-62-8 HCAPLUS
CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



• 2 Na

REFERENCE COUNT: 1
REFERENCE(S): (1) L'Oreal; EP 0728460 A 1996 HCAPLUS

L56 ANSWER 10 OF 18 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1999:596842 HCAPLUS
DOCUMENT NUMBER: 131:233383
TITLE: Compositions containing protein hydrolyzate
alkenylsuccinate ester salts and shampoos containing
Page 23

INVENTOR(S): them
 Nakajima, Toru; Fukuda, Hajime; Watanabe, Yoshihiro;
 Otsuki, Naomi; Hayashi, Shigeaki; Tokuyama, Hiroshi
 PATENT ASSIGNEE(S): Nippon Starch Refining Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 11255626	A2	19990921	JP 1998-78372	19980310

AB Shampoos contain anionic surfactants, cationized polymers, and the compns.
 contg. protein hydrolyzate alkenylsuccinate ester salts prepd. by reaction of protein hydrolyzates with alkenylsuccinic anhydrides in the presence of alkali catalysts. Reaction of keratin hydrolyzate with octenylsuccinic anhydride in the presence of NaOH gave a product showing good emulsifying and foaming properties. A shampoo contg. the keratin hydrolyzate octenylsuccinate ester Na salt 5.0, C12-13 aliph. alc. ethoxylate sulfate ester Na salt 15.0, cationized cellulose 0.5, and H2O 79.5 wt.% was formulated.

IC ICM A61K007-075
 ICS A61K007-00

CC 62-3 (Essential Oils and Cosmetics)

ST protein hydrolyzate alkenylsuccinate ester salt shampoo; keratin octenylsuccinate sodium salt **emulsifier** shampoo

IT Sulfonates
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (1-alkene; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)

IT Amides, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (N-(hydroxyalkyl); shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)

IT Protein hydrolyzates
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (alkenylsuccinate esters, salts; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)

IT Amine oxides
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (alkyldimethyl; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)

IT Polyoxyalkylenes, biological studies

- RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (alkylphenyl ethers; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Surfactants
 (amphoteric; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Surfactants
 (anionic; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Surfactants
 (**cationic**; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Amides, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (coco, N,N-bis(hydroxyethyl); shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Fatty acids, biological studies
 Polyoxyalkylenes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (derivs.; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Alcohols, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (ethoxylated; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Castor oil
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (hydrogenated, ethoxylated; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Caseins, biological studies
 Collagens, biological studies
 Keratins
 RL: BUU (Biological use, unclassified); PNU (Preparation, unclassified); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (hydrolyzates, alkenylsuccinate esters, salts; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Syrups (sweetening agents)
 (hydrolyzed starch, reduced; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Surfactants
 (nonionic; shampoos contg. protein hydrolyzate alkenylsuccinate ester

- salts, anionic surfactants, and **cationized polymers**
)
- IT Wheat
(protein hydrolyzates; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT **Emulsifying agents**
Shampoos
(shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT **Quaternary ammonium** compounds, biological studies
Soaps
Sulfobetaines
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Protein hydrolyzates
RL: BUU (Biological use, unclassified); PNU (Preparation, unclassified); BIOL (Biological study); PREP (Preparation); USES (Uses)
(silk, alkenylsuccinate esters, salts; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT Protein hydrolyzates
RL: BUU (Biological use, unclassified); PNU (Preparation, unclassified); BIOL (Biological study); PREP (Preparation); USES (Uses)
(soya, alkenylsuccinate esters, salts; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT 36574-66-0D, N-coco acyl derivs.
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(coco amidopropylbetaine; shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT 56-40-6D, Glycine, alkyl esters 56-41-7D, Alanine, salts with fatty acid
derivs. 98-11-3D, Benzenesulfonic acid, alkyl derivs., salts
112-02-7,
Cetyltrimethylammonium chloride 5138-18-1D, Sulfosuccinic acid, alkyl esters, salts 9000-30-0D, Guar gum, **cationic** derivs.
9004-34-6D, Cellulose, **cationic** derivs. 9004-54-0D, Dextran, **cationic** derivs. 9005-63-4D, Polyoxyethylene sorbitan, fatty acid esters 12441-09-7D, Sorbitan, fatty acid esters 25322-68-3D, Polyethylene glycol, alkylphenyl ethers 25322-68-3D, Polyethylene glycol, derivs. 27613-77-0D, Polyethylene glycol monoacetate, monoalkyl ethers, salts 34870-92-3D, Polyethylene glycol monosulfate, monoalkyl ethers, salts 59149-04-1D, N-Carboxymethyl-N-hydroxyethylimidazolium betaine, 2-alkyl derivs. 148252-87-3D, alkyl ethers, salts
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(shampoos contg. protein hydrolyzate alkenylsuccinate ester salts, anionic surfactants, and **cationized polymers**)
- IT 25377-73-5DP, Dodecenylsuccinic anhydride, esters with keratin hydrolyzates, sodium salts 26680-54-6DP, Octenylsuccinic anhydride, esters with protein hydrolyzates, salts

RL: BUU (Biological use, unclassified); PNU (Preparation, unclassified);
BIOL (Biological study); PREP (Preparation); USES (Uses)

(shampoos contg. protein hydrolyzate alkenylsuccinate ester salts,
anionic surfactants, and **cationized polymers**)
IT 102-71-6, reactions 1310-58-3, Potassium hydroxide, reactions
1310-73-2, Sodium hydroxide, reactions
RL: RCT (Reactant)
(shampoos contg. protein hydrolyzate alkenylsuccinate ester salts,
anionic surfactants, and **cationized polymers**)

L56 ANSWER 11 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:653630 HCAPLUS

DOCUMENT NUMBER: 129:335482

TITLE: The nonionic amphoteric surfactant and aminosilicone
for preparation of cosmetic emulsion

INVENTOR(S): Cervantes, Frederic; Cazin, Benedicte; Simonnet,
Jean-Thierry

PATENT ASSIGNEE(S): L'Oreal S. A., Fr.

SOURCE: Jpn. Kokai Tokkyo Koho, 15 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10265326	A2	19981006	JP 1998-67407	19980317
JP 3078256	B2	20000821		
FR 2760970	A1	19980925	FR 1997-3283	19970318
FR 2760970	B1	20000310		
EP 879589	A1	19981125	EP 1998-400450	19980225
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
AU 9856451	A1	19980924	AU 1998-56451	19980304
AU 698457	B2	19981029		
ZA 9801865	A	19981006	ZA 1998-1865	19980305
CN 1196928	A	19981028	CN 1998-107846	19980317
BR 9801355	A	19990629	BR 1998-1355	19980317
US 5925341	A	19990720	US 1998-42557	19980317
RU 2142481	C1	19991210	RU 1998-105500	19980317
JP 2000095629	A2	20000404	JP 1999-306102	19980317
PRIORITY APPLN. INFO.:			FR 1997-3283	A 19970318
			JP 1998-67407	A3 19980317
AB	The cosmetic emulsion that has an av. size of oil drop of .ltoreq.150 nm and that is stable for .gtoreq.1 mo at 0-45.degree. is an oil drop-in-oil nanoemulsion. The wt. ratio of the amphoteric surfactant phase to oil phase is 2-10. The amphoteric surfactant is selected from silicone surfactants such as Amodimethicone.			
IC	ICM A61K007-00 ICS A61K007-00; A61K007-06			
CC	62-4 (Essential Oils and Cosmetics)			
ST	skin prepn cosmetic nanoemulsion amphoteric surfactant			
IT	Cosmetic emulsions (nanoemulsion ; nonionic amphoteric surfactant and aminosilicone for prepn. of cosmetic emulsion)			
IT	17301-53-0 31900-57-9D, .alpha.,.omega.-quaternary ammonium-contg.			

56002-14-3

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(nonionic amphoteric surfactant and aminosilicone for prepn. of cosmetic emulsion)


IT 56002-14-3

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(nonionic amphoteric surfactant and aminosilicone for prepn. of cosmetic emulsion)

RN 56002-14-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), .alpha.-(1-oxoisooctadecyl)-.omega.-hydroxy-(9CI) (CA INDEX NAME)



L56 ANSWER 12 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:351743 HCAPLUS

DOCUMENT NUMBER: 129:45107

TITLE: Detergent cosmetic compositions for cleaning and conditioning hair and skin

INVENTOR(S): Cauwet-Martin, Daniele

PATENT ASSIGNEE(S): L'oreal, Fr.; Cauwet-Martin, Daniele

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9822087	A1	19980528	WO 1997-FR1815	19971010
W:	AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
FR 2755850	A1	19980522	FR 1996-13977	19961115
FR 2755851	A1	19980522	FR 1997-3280	19970318
FR 2755851	B1	19981224		
AU 9747090	A1	19980610	AU 1997-47090	19971010
EP 939619	A1	19990908	EP 1997-909389	19971010
R:	AT, BE, CH, DE, ES, FR, GB, IT, LI, NL, SE			
JP 2000504344	T2	20000411	JP 1998-520846	19971010
PRIORITY APPLN. INFO.:			FR 1996-13977	19961115
			FR 1997-3280	19970318
			WO 1997-FR1815	19971010

OTHER SOURCE(S): MARPAT 129:45107

- AB Novel detergent and conditioning compns. contain, in a cosmetically acceptable medium, (A) a washing base, i.e., one or more surfactants, and (B) a conditioning system including an oil-in-water nanoemulsion in which the oil globule av. size is <150 nm. The oil-in-water nanoemulsion contains a nonionic lipidic amphiphile phase contg. .gtoreq.1 nonionic lipidic amphiphile which is liq. at ambient temps. <45.degree.. The invention is useful for hair and skin cleaning and care, and esp. in conditioning shampoos. Thus, a conditioning shampoo was formulated from polyethylene glycol lauryl ether sulfate Na salt, Dehyton AB 30 (cocoylbetaine), and a nanoemulsion contg. polyethylene glycol isostearate, Acylglutamate HS 21, avocado oil, and EtOH in the lipidic phase and glycerin and demineralized water in the second phase. The shampoo exhibits good foaming and hair washed with the shampoo exhibited good properties.
- IC ICM A61K007-50
- CC 62-3 (Essential Oils and Cosmetics)
Section cross-reference(s): 38, 46
- ST detergent cosmetic compn **nanoemulsion**; conditioning shampoo
nanoemulsion compn; surfactant lipidic **nanoemulsion** cosmetic
- IT Betaines
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(coco alkyl dimethyl, Dehyton AB30; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT Anionic surfactants
Cationic surfactants
Conditioning shampoos
Cosmetic emulsions
Nonionic surfactants
(cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT Fatty amines
Quaternary ammonium compounds, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT Polyoxyalkylenes, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(esters, nonionic **amphiphilic lipid** in **nanoemulsion**; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT Polysiloxanes, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(surfactants; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT 156309-06-7, Dimethylsilanediol-oxirane block copolymer 156618-32-5D, Dimethylsilanediol-oxirane graft copolymer, trimethylsilyl-terminated 208192-10-3D, trimethylsilyl-terminated
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**nanoemulsion** contg.; cosmetic contg. surfactants and


- oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT 38079-62-8, **Acylglutamate** HS21 56002-14-3,
Polyethylene glycol isostearate
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(**nanoemulsion**-contg.; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT 12441-09-7D, Sorbitan, esters 25322-68-3D, esters 25618-55-7D,
Polyglycerol, esters 31694-55-0D, Polyethylene glycol glycerol ether, esters
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(nonionic **amphiphilic lipid** in **nanoemulsion**; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT 9004-82-4
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(surfactant; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- IT 38079-62-8, **Acylglutamate** HS21 56002-14-3,
Polyethylene glycol isostearate
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(**nanoemulsion**-contg.; cosmetic contg. surfactants and oil-in-water **nanoemulsions** for cleaning and conditioning hair and skin)
- RN 38079-62-8 HCAPLUS
CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● 2 Na

- RN 56002-14-3 HCAPLUS
CN Poly(oxy-1,2-ethanediyl), .alpha.-(1-oxoisooctadecyl)-.omega.-hydroxy-
(9CI) (CA INDEX NAME)



L56 ANSWER 13 OF 18 HCAPLUS COPYRIGHT 2001 ACS
 ACCESSION NUMBER: 1998:344317 HCAPLUS
 DOCUMENT NUMBER: 129:32127
 TITLE: Oil-in-water **nanoemulsions** based on liquid
 non-ionic **amphiphilic lipids** for
 keratinic fibers
 INVENTOR(S): Cauwet-Martin, Daniele
 PATENT ASSIGNEE(S): L'Oreal, Fr.
 SOURCE: Eur. Pat. Appl., 9 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 842653	A1	19980520	EP 1997-402315	19971002
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
FR 2755849	A1	19980522	FR 1996-13979	19961115
FR 2755855	A1	19980522	FR 1997-3282	19970318
FR 2755855	B1	19981224		
CA 2217039	AA	19980515	CA 1997-2217039	19971021
JP 10147506	A2	19980602	JP 1997-307198	19971110
AU 9745122	A1	19980521	AU 1997-45122	19971111
AU 694396	B2	19980716		
CN 1187346	A	19980715	CN 1997-125298	19971114
RU 2139031	C1	19991010	RU 1997-119735	19971114
BR 9705381	A	19990406	BR 1997-5381	19971117
PRIORITY APPLN. INFO.:			FR 1996-13979	A 19961115
			FR 1997-3282	A 19970318

OTHER SOURCE(S): MARPAT 129:32127

AB The title nanoemulsions have oil globules of av. size <150 nm, contain an amphiphilic lipid phase contg. .gtoreq.1 nonionic amphiphilic lipid with is liq. at ambient temps. >45.degree., and has wt. ratio of the oil to the

amphiphilic lipid phase 2-10. The nonionic amphiphilic lipid may be selected from silicone surfactants and polyol esters (i.e., esters of polyethylene glycol, sorbitan, ethoxylated glycerol, or polyglycerols). The emulsions may be used in products for cleaning, treating, or maintenance of hair, eyelashes, or eyebrows. Thus, polyethylene glycol isostearate, N-stearoyl L-glutamate disodium salt (Acylglutamate HS21) were

mixed with avocado oil and ethanol and then combined with a water-glycerin mixt. and homogenized. The resulting oil-in-water nanoemulsion had oil globules .apprx.63 nm.

IC ICM A61K007-00

CC 62-3 (Essential Oils and Cosmetics)
 Section cross-reference(s): 38, 46

ST **nanoemulsion** oil in water hair product; **amphiphilic lipid nanoemulsion** hair care; fatty ester **lipid nanoemulsion** hair care; silicone surfactant **lipid nanoemulsion** hair care; eyelash product **amphiphilic lipid nanoemulsion**; eyebrow product **amphiphilic**

- lipid nanoemulsion**
- IT **Lipids**, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (amphiphilic; oil-in-water **nanoemulsions** contg.
 nonionic **amphiphilic lipids** for hair, eyelash, and
 eyebrow products)
- IT Polyoxyalkylenes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (fatty esters; oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
 products)
- IT Cosmetic **emulsions**
 (nano-, for eyelashes and eyebrows; oil-in-water
nanoemulsions contg. nonionic **amphiphilic**
lipids for hair, eyelash, and eyebrow products)
- IT Polysiloxanes, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (nonionic surfactants; oil-in-water **nanoemulsions** contg.
 nonionic **amphiphilic lipids** for hair, eyelash, and
 eyebrow products)
- IT Amphoteric surfactants
 Anionic surfactants
 Hair preparations
 Oil-in-water emulsions
 (oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
 products)
- IT Animal fats
 Essential oils
 Hydrocarbon oils
 Vegetable oils
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
 products)
- IT Polyethers, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (oils; oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
 products)
- IT Fatty acid esters
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
 (Uses)
 (with polyols, **amphiphilic lipids**; oil-in-water
nanoemulsions contg. nonionic **amphiphilic**
lipids for hair, eyelash, and eyebrow products)
- IT 12441-09-7D, Sorbitan, fatty esters 25322-68-3D, fatty esters
 25618-55-7D, Polyglycerol, fatty esters 31694-55-0D, Polyethylene
 glycol
 glycerol ether, fatty esters 38079-62-8, **Acylglutamate**
 HS21 56002-14-3, Polyethylene glycol isostearate 156309-06-7D,
 Dimethylsilanediol-oxirane block copolymer, trimethylsilyl-terminated

156618-32-5D, Dimethylsilanediol-oxirane graft copolymer,
trimethylsilyl-terminated 207844-39-1D, trimethylsilyl-terminated
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
products)

IT 38079-62-8, **Acylglutamate** HS21 56002-14-3,

Polyethylene glycol isostearate


RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)

(oil-in-water **nanoemulsions** contg. nonionic
amphiphilic lipids for hair, eyelash, and eyebrow
products)

RN 38079-62-8 HCAPLUS

CN L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX
NAME)


Absolute stereochemistry.



● 2 Na

RN 56002-14-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), .alpha.-(1-oxoisooctadecyl)-.omega.-hydroxy-
(9CI) (CA INDEX NAME)



L56 ANSWER 14 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:344316 HCAPLUS

DOCUMENT NUMBER: 129:32159

TITLE: Oil-in-water **nanoemulsions** based on nonionic
and cationic **amphiphilic lipids**
and their use in hair preparations and cosmetics

INVENTOR(S): Restle, Serge; Cauwet-Martin, Daniele

PATENT ASSIGNEE(S): L'Oreal, Fr.

SOURCE: Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent


LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 842652	A1	19980520	EP 1997-402295	19971001
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
FR 2755853	A1	19980522	FR 1996-13978	19961115
FR 2755854	A1	19980522	FR 1997-3281	19970318
FR 2755854	B1	19981224		
CA 2217339	AA	19980515	CA 1997-2217339	19971024
ZA 9709588	A	19980731	ZA 1997-9588	19971027
AU 691148	B1	19980507	AU 1997-45123	19971111
US 6039936	A	20000321	US 1997-969796	19971113
JP 10147505	A2	19980602	JP 1997-313668	19971114
CN 1193504	A	19980923	CN 1997-125297	19971114
RU 2141813	C1	19991127	RU 1997-119736	19971114
BR 9705382	A	19990406	BR 1997-5382	19971117
PRIORITY APPLN. INFO.:			FR 1996-13978	A 19961115
			FR 1997-3281	A 19970318
OTHER SOURCE(S):		MARPAT 129:32159		
AB	The title nanoemulsions contain oil globules with av. size <150 nm and have an amphiphilic lipid phase characterized in that the lipid phase contains .gtoreq.1 nonionic amphiphilic lipid which is liq. at ambient temps. <45.degree. and .gtoreq.1 cationic amphiphilic lipid. The wt. ratio of the quantity of oil to the amphiphilic lipid phase is 2-10, preferably 3-6. The nanoemulsions may be used in cosmetic and hair products. Thus, polyethylene glycol isostearate and behenyltrimethylammonium chloride were mixed in avocado oil and the homogenized with demineralized water and glycerin to give an oil-in-water nanoemulsion having oil globules .apprx.63 nm. An after-shampooing rinse was formulated using the prepd. nanoemulsion. Hair treated with the compn. exhibited good detangling, was soft and shiny.			
IC	ICM A61K007-00			
CC	62-4 (Essential Oils and Cosmetics)			
	Section cross-reference(s): 38, 46			
ST	oil in water nanoemulsion cosmetics; nonionic cationic amphiphilic lipid nanoemulsion ; hair product amphiphilic lipid nanoemulsion			
IT	Polyoxyalkylenes, biological studies RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (fatty acid esters; oil-in-water nanoemulsions contg. nonionic and cationic amphiphilic lipids for cosmetics and hair preps.)			
IT	Cosmetics Makeups (makeup removers; oil-in-water nanoemulsions contg. nonionic and cationic amphiphilic lipids for cosmetics and hair preps.)			
IT	Cosmetic emulsions Hair conditioners Hair preparations Nonionic surfactants Oil-in-water emulsions Shampoos Topical drug delivery systems (oil-in-water nanoemulsions contg. nonionic and cationic			


- amphiphilic lipids** for cosmetics and hair prepns.)
- IT Animal fats
Essential oils
Hydrocarbon oils
Lipids, biological studies
Polyethers, biological studies
Quaternary ammonium compounds, biological studies
Vegetable oils
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- IT Polysiloxanes, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(surfactants; oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- IT Fatty acid esters
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(with polyols; oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- IT 17301-53-0, Behenyltrimethylammonium chloride **56002-14-3**, Polyethylene glycol isostearate 207845-30-5
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- IT 109-76-2D, 1,3-Propanediamine, diquaternary derivs. 288-32-4D, Imidazole, quaternary derivs. 12441-09-7D, Sorbitan, fatty acid esters 25322-68-3D, fatty acid esters 25618-55-7D, Polyglycerol, fatty acid esters 31694-55-0D, Polyethylene glycol glycerol ether, fatty acid esters
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- IT **56002-14-3**, Polyethylene glycol isostearate
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(oil-in-water **nanoemulsions** contg. nonionic and cationic **amphiphilic lipids** for cosmetics and hair prepns.)
- RN **56002-14-3** HCAPLUS
- CN Poly(oxy-1,2-ethanediyl), .alpha.-(1-oxoisooctadecyl)-.omega.-hydroxy-(9CI) (CA INDEX NAME)



ACCESSION NUMBER: 1997:479334 HCAPLUS
 DOCUMENT NUMBER: 127:113133
 TITLE: Transparent **nanoemulsion** based on silicone
 surfactants, and its use in cosmetics
 INVENTOR(S): Simonnet, Jean-Thierry
 PATENT ASSIGNEE(S): L'Oreal S. A., Fr.
 SOURCE: Eur. Pat. Appl., 10 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 780114	A1	19970625	EP 1996-402548	19961126
R: AT, BE, CH, DE, ES, FR, GB, IT, LI, NL, SE				
FR 2742676	A1	19970627	FR 1995-15291	19951221
FR 2742676	B1	19980206		
BR 9604724	A	19980901	BR 1996-4724	19961219
JP 09175933	A2	19970708	JP 1996-341882	19961220
JP 3040355	B2	20000515		
CN 1156586	A	19970813	CN 1996-117923	19961220
US 6120778	A	20000919	US 1996-772724	19961223
PRIORITY APPLN. INFO.:			FR 1995-15291	A 19951221
OTHER SOURCE(S): MARPAT 127:113133				
AB	Transparent oil/in/water cosmetic emulsions where the av. size of oil globules is <100 nm contain silicone surfactants. A cosmetic liq. for greasy skin contained silicone surfactant (DC 2-5698) 5, dodecamethylcyclhexasiloxane 6, decamethylcyclopentasiloxane 6, silicone gum Q2-1403 3, abs. ethanol 15, glycerin 5, and water q.s. 100%.			
IC	ICM A61K007-00 ICS A61K007-48			
CC	62-4 (Essential Oils and Cosmetics)			
ST	transparent cosmetic nanoemulsion silicone surfactant			
IT	Lipids , biological studies			
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (amphiphilic and ionic; transparent oil/in/water cosmetic emulsions contg. silicone surfactants)			
IT	1256-86-6D, Cholesterol sulfate, alkali salts 2197-63-9D, Dicytylphosphate, alkali salts 4358-16-1D, Cholesterol phosphate, alkali salts 6640-03-5D, Dimyristylphosphate, alkali salts 38079-62-8 , Acylglutamate hs21			
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (transparent oil/in/water cosmetic emulsions contg. silicone surfactants)			
IT	38079-62-8 , Acylglutamate hs21			
	RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (transparent oil/in/water cosmetic emulsions contg. silicone surfactants)			
RN	38079-62-8 HCAPLUS			
CN	L-Glutamic acid, N-(1-oxooctadecyl)-, disodium salt (9CI) (CA INDEX NAME)			

Absolute stereochemistry.



● 2 Na

L56 ANSWER 16 OF 18 HCAPLUS COPYRIGHT 2001 ACS
 ACCESSION NUMBER: 1997:390442 HCAPLUS
 DOCUMENT NUMBER: 127:39480
 TITLE: **Emulsion-type hair preparations containing nonionic polymers, salts, and cationic surfactants**
 INVENTOR(S): Oya, Toru; Kawai, Yasuhiro
 PATENT ASSIGNEE(S): Sunstar K. K., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 09118609	A2	19970506	JP 1995-277508	19951025

OTHER SOURCE(S): MARPAT 127:39480

AB Title preps., which show good adsorption and permeation to hair, contain water-sol. (in)org. salts 0.001-5, cationic surfactants 0.01-10, and nonionic polymers 0.01-10 wt.%. A hair rinse was prepd. from stearyltrimethylammonium chloride 2.0, polyoxyethylene glycol 0.5, NaCl 0.1, cetanol 4.0, and H2O to 100.0 wt.%.

IC ICM A61K007-06
 ICS A61K007-08

CC 62-3 (Essential Oils and Cosmetics)

ST hair prepn **polymer** salt surfactant; nonionic **polymer** hair prepn **emulsion**; **cationic** surfactant hair prepn **emulsion**

IT **Cationic** surfactants
 (emulsion-type hair preps. contg. nonionic **polymers**, salts, and **cationic** surfactants)

IT Nitrates, biological studies
 Phosphates, biological studies
Polymers, biological studies
 Polyoxyalkylenes, biological studies
 Polysiloxanes, biological studies
 Salts, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (emulsion-type hair preps. contg. nonionic **polymers**)

, salts, and **cationic** surfactants)

IT Hair preparations
(**emulsions**; **emulsion**-type hair prepns. contg.
nonionic **polymers**, salts, and **cationic** surfactants)

IT **Cosmetic emulsions**
(hair prepns.; **emulsion**-type hair prepns. contg. nonionic
polymers, salts, and **cationic** surfactants)

IT **Quaternary ammonium** compounds, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses):
(surfactants; **emulsion**-type hair prepns. contg. nonionic
polymers, salts, and **cationic** surfactants)

IT 72-17-3, Sodium lactate 77-92-9D, salts 107-64-2,
Distearyldimethylammonium chloride 112-03-8, Stearyltrimethylammonium
chloride 127-09-3, Sodium acetate 7446-70-0, Aluminum chloride,
biological studies 7487-88-9, Magnesium sulfate, biological studies
7647-14-5, Sodium chloride (NaCl), biological studies 7647-15-6, Sodium
bromide, biological studies 7757-82-6, Sodium sulfate, biological
studies 7786-30-3, Magnesium chloride, biological studies 9003-11-6
9016-00-6, Dimethyl siloxane, sru 9038-95-3 25322-68-3 25322-69-4,
Polypropylene glycol 31900-57-9, Dimethylsilanediol homopolymer
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(**emulsion**-type hair prepns. contg. nonionic **polymers**
, salts, and **cationic** surfactants)

L56 ANSWER 17 OF 18 HCAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1996:634951 HCAPLUS

DOCUMENT NUMBER: 125:256771

TITLE: Transparent **nanoemulsion** based on
amphiphilic nonionic lipids and use
in cosmetics

INVENTOR(S): Ribier, Alain; Simonnet, Jean-Thierry; Legret, Sylvie

PATENT ASSIGNEE(S): Oreal S. A., Fr.

SOURCE: Eur. Pat. Appl., 8 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 728460	A1	19960828	EP 1996-400210	19960130
EP 728460	B1	19970827		
R: DE, ES, GB, IT				
FR 2730932	A1	19960830	FR 1995-2268	19950227
FR 2730932	B1	19970404		
ES 2110854	T3	19980216	ES 1996-400210	19960130
JP 08245371	A2	19960924	JP 1996-38272	19960226
JP 2962678	B2	19991012		
CN 1138456	A	19961225	CN 1996-106000	19960226
US 5753241	A	19980519	US 1996-607353	19960226
BR 9600628	A	19971230	BR 1996-628	19960227
PRIORITY APPLN. INFO.:			FR 1995-2268	19950227

AB A transparent oil/in/water emulsion with av. globule size of .ltoreq.100
nm comprising amphiphilic nonionic lipids for use in cosmetics is

disclosed. A cosmetic moisturizer contained .alpha.-butylglucoside cocoate 4.5, Acylgutamate HS21 (N-stearoyl L-glutamic acid disodium salt) 0.5, jojoba oil 5, avocado oil 5, volatile silicone 6, stearylheptanoate-stearylcaprylate 2, vitamin E acetate 1, ethanol 15, glycerin 6, sodium hyaluronate 0.10, and water q.s. 100%. The transparent emulsion had globules of 52 nm and transparency of 58%.

IC ICM A61K007-00

CC 62-4 (Essential Oils and Cosmetics)

ST transparent **nanoemulsion amphiphilic** nonionic **lipid** cosmetic; Acylgutamate HS21 cosmetic moisturizer transparent emulsion

IT Fatty acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (C8-22; transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Sulfonic acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (alkyl derivs.; transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT **Lipids**, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (**amphiphilic** nonionic; transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Cosmetics
 (transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Essential oils
 Glycols, biological studies
 Hydrocarbons, biological studies
 Perfumes
 Phospholipids, biological studies
 Vitamins
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Cosmetics
 (emulsions, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)


IT Alcohols
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (ethoxylated, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 (inorg., esters with alcs.; transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)

IT Amino acids, biological studies
 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

- (lipo, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT Alcohols, biological studies
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(lower, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT Cosmetics
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(moisturizers, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT Phosphatidic acids
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(sodium salts, transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT 12385-15-8, Carbide
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(halogenated; transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT 1256-86-6D, Cholesterol sulfate, alk. salts 2197-63-9D, Dicetyl phosphate, alk. salts 3397-16-8 4358-16-1D, Cholesterol phosphate, alk. salts 6640-03-5D, Dimyristyl phosphate, alk. salts 12441-09-7, Sorbitan 25618-55-7, Polyglycerol 31694-55-0
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- IT 3397-16-8
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(transparent **nanoemulsion** based on **amphiphilic** nonionic **lipids** and use in cosmetics)
- RN 3397-16-8 HCAPLUS
CN L-Glutamic acid, N-(1-oxooctadecyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L56 ANSWER 18 OF 18 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1994:14642 HCAPLUS
DOCUMENT NUMBER: 120:14642
TITLE: Water-in-oil-type hair preparations
INVENTOR(S): Kanbe, Tetsuya
PATENT ASSIGNEE(S): Shiseido Co Ltd, Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent

LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 05246824	A2	19930924	JP 1992-354522	19921216
PRIORITY APPLN. INFO.:				JP 1991-355123	19911220
AB	Water-in-oil-type hair prepn., which impart smoothness and softness to the hair without giving tackiness, contain (i) water-swelling clay minerals modified with quaternary ammonium salt-type cationic surfactants and nonionic surfactants, (ii) water-sol. polymers, and (iii) R1R2SiO(SiOR12)nSiR12R2 (R1 = Me, Ph; R2 = Me, OH; n = 3000-20,000). Isopar M 10.0, di-Me siloxane 5.0, distearyldimethylammonium chloride				
0.8,	diglyceryl diisostearate 2.0, dextrin fatty acid ester 1.5, H2O 73.9, glycerin 4.0, polyethylene glycol 0.5, Smectone 1.2, carboxyvinyl polymer 0.5, carrageenan 0.5, and NaOH 0.1 wt.% were mixed to give a hair prepn., which was stable at 50.degree. for .gtoreq.1 mo.				
IC	ICM A61K007-06				
CC	62-3 (Essential Oils and Cosmetics)				
ST	hair emulsion siloxane polymer; surfactant clay mineral hair emulsion ; quaternary ammonium mineral hair emulsion				
IT	Quaternary ammonium compounds, biological studies RL: BIOL (Biological study) (clay minerals modified with nonionic surfactants and, hair emulsions contg. siloxanes and polymers and)				
IT	Siloxanes and Silicones, biological studies RL: BIOL (Biological study) (hair emulsions contg. polymers and surfactant-modified clay minerals and, stable)				
IT	Clay minerals RL: BIOL (Biological study) (surfactant-modified, hair emulsions contg. siloxanes and polymers and, stable)				
IT	Vinyl compounds, polymers RL: BIOL (Biological study) (carboxy-contg., polymers, hair emulsions contg. siloxanes and surfactant-modified clay minerals and, stable)				
IT	Surfactants (cationic, quaternary ammonium salts, clay minerals modified with nonionic surfactants and, hair emulsions contg. siloxanes and polymers and)				
IT	Hair preparations (emulsions , water-in-oil, contg. siloxanes and polymers and surfactant-modified clay minerals)				
IT	Fatty acids, esters RL: BIOL (Biological study) (esters, with dextrin, clay minerals modified with quaternary ammonium salts and, hair emulsions contg. siloxanes and polymers and)				
IT	Surfactants (nonionic, clay minerals modified with quaternary ammonium salts and, hair emulsions contg. siloxanes and polymers and)				
IT	107-64-2, Distearyldimethylammonium chloride 17301-53-0, Behenyltrimethylammonium chloride				

- RL: BIOL (Biological study)
(clay minerals modified with nonionic surfactants and, hair **emulsions** contg. siloxanes and polymers and)
- IT 9004-53-9D, Dextrin, fatty acid esters 67938-21-0, Diglyceryl diisostearate
- RL: BIOL (Biological study)
(clay minerals modified with **quaternary ammonium salts** and, hair **emulsions** contg. siloxanes and polymers and)
- IT 117502-86-0, Smectone HR
- RL: BIOL (Biological study)
(hair **emulsions** contg. siloxanes and polymers and, stable)
- IT 9000-01-5, Gum arabic 9000-07-1, Carrageenan 9004-32-4, Sodium CMC
- RL: BIOL (Biological study)
(hair **emulsions** contg. siloxanes and surfactant-modified clay minerals and, stable)
- IT 1340-68-7, Bentone 12001-31-9, Bentone 38
- RL: BIOL (Biological study)
(surfactant-modified, hair **emulsions** contg. siloxanes and polymers and, stable)

=> d his

(FILE 'WPIDS' ENTERED AT 11:06:09 ON 06 AUG 2001)

DEL HIS Y
L1 25 S NANOEMULS? OR NANOEMUL?
L2 32 S NANOEMULS? OR NANO EMUL?
L3 2 S METASTABLE EMULS?
L4 32 S L1 OR L2
L5 5 S METASTABLE(3A) EMULS?
L6 37 S L2 OR L5
L7 20 S L6 AND D21/DC
L8 86 S NANO (L) EMULS?
L9 108 S L8 OR L2 OR L5
L10 47 S L9 AND D21/DC
L11 18 S POLYETHYLENE GLYCOL (3A) ISOSTEAR? OR (DIGLYCERYL OR DI
GLYC
L12 145 S (POLYGLYCER? OR POLY GLYCER?) (4A) (?LAURATE? OR ?STEARATE?
)
L13 430 S SORBITAN (3A) (OLEATE OR ISOSTEAR? OR ISO STEAR?)
L14 9 S ALKYL ETHER CITRAT? OR ALKOXY? (3A) ALKENYL (3A) (
SUCCINATE#
L15 21544 S STEAROYL (2W) GLUTAMIC OR ACYLGLUTAMATE# OR ACYL GLUTAMATE?
O
L16 22123 S L11 OR L12 OR L13 OR L14 OR L15
L17 122 S LIPID# (4A) (AMPHIPHIL?)
L18 6 S QUATRISOFT OR CRODACL OR AMERCHOL OR 8781 OR 9492
L19 0 S L18 AND L9
L20 22230 S L16 OR L17
L21 1 S L20 AND L18
L22 8 S L9 AND TURBID?
L23 8 S L22 AND D21/DC
L24 5343 S CATION? (3A) POLYMER#
L25 640 S L24 AND L20
L26 0 S L25 AND L9
L27 9 S L20 AND L9
L28 10 S L27 OR L23 OR L21

=> d...wp-1=10

L28 ANSWER 1 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
AN 2000-526015 [48] WPIDS
DNC C2000-156374
TI Oil-in-water **nanoemulsions** for cosmetic, dermatological, and
ophthalmic use contain an **alkoxylated alkenyl**
succinate, alkoxylated glucose alkenyl
succinate, or alkoxylated methyl glucose
succinate as surfactant.
DC A25 A26 A96 B07 D21 E19
IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMMONNET, J; SIMONNET, J T
PA (OREA) L'OREAL SA
CYC 30
PI EP 1025898 A1 20000809 (200048)* FR 11p
R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
RO SE SI
FR 2788980 A1 20000804 (200048)

BR 2000000417 A 20000912 (200051)
 CA 2297560 A1 20000802 (200052) FR
 JP 2000226314 A 20000815 (200054) 7p
 CN 1270019 A 20001018 (200103)
 KR 2000057867 A 20000925 (200122)
 ADT EP 1025898 A1 EP 2000-400009 20000104; FR 2788980 A1 FR 1999-1178
 19990202; BR 2000000417 A BR 2000-417 20000127; CA 2297560 A1 CA
 2000-2297560 20000131; JP 2000226314 A JP 2000-24373 20000201; CN 1270019
 A CN 2000-101988 20000201; KR 2000057867 A KR 2000-4979 20000201
 PRAI FR 1999-1178 19990202
 AB EP 1025898 A UPAB: 20001001

NOVELTY - Oil-in-water **nanoemulsions**, in which the average size of the oil particles is below 100 nm, contains an **alkoxylated alkenyl succinate**, **alkoxylated** glucose **alkenyl succinate**, or **alkoxylated** methyl glucose **succinate** as surfactant, and at least one oil with a molecular weight above 400, the weight ratio of oil to surfactant being 2-10.

USE - The **nanoemulsions** may be used in cosmetics, dermatology, or ophthalmics, applied to the skin, hair, scalp, and eyes. They have a beneficial effect on the skin and hair and may also be used

as

carriers for other active materials such as vitamins, anti-glaucoma agents, antibiotics, anti-allergics, anti-inflammatories, and antiviral agents.

ADVANTAGE - The emulsions are stable, non-sticky, and ~~transparent in appearance.~~

Dwg.0/0

L28 ANSWER 2 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
 AN 2000-467426 [41] WPIDS
 DNC C2000-140890
 TI Oil-in-water **nanoemulsion** useful as cosmetic, dermatological, ophthalmological or pharmaceutical carrier includes **alkyl ether citrate** surfactant.
 DC A96 B05 D21 E19
 IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMONNET, J T
 PA (OREA) L'OREAL SA
 CYC 27
 PI EP 1020219 A1 20000719 (200041)* FR 9p
 R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI
 FR 2788449 A1 20000721 (200041)
 JP 2000212030 A 20000802 (200041) 6p
 EP 1020219 B1 20010321 (200117) FR
 R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI
 KR 2000052504 A 20000825 (200121)
 DE 69900066 E 20010426 (200130)
 ADT EP 1020219 A1 EP 1999-402914 19991123; FR 2788449 A1 FR 1999-408
 19990114;
 JP 2000212030 A JP 2000-4013 20000112; EP 1020219 B1 EP 1999-402914
 19991123; KR 2000052504 A KR 1999-58632 19991217; DE 69900066 E DE
 1999-600066 19991123, EP 1999-402914 19991123
 FDT DE 69900066 E Based on EP 1020219
 PRAI FR 1999-408 19990114
 AB EP 1020219 A UPAB: 20000831

NOVELTY - An oil-in-water **nanoemulsion** with a droplet size of less than 100 nm contains an oil (I) with a molecular weight above 400 and

an **alkyl ether citrate** surfactant (II), the weight ratio of oil phase to (II) being 2-10:1.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for production of the composition by mixing the aqueous phase with the oil phase under vigorous agitation at 10-80 deg. C and homogenizing the mixture at 60-180 MPa.

USE - The emulsion is useful as a carrier for topical compositions, especially ophthalmological or pharmaceutical compositions, dermatological composition for treating dry skin, and cosmetic compositions for care and/or moisturizing of the skin, mucosa and/or scalp, for care, treatment and/or make-up of the skin, face and/or scalp or for care and/or treatment of the hair.

ADVANTAGE - The emulsion has a good storage stability and can contain large amounts of oil while maintaining a good transparency.
Dwg.0/0

L28 ANSWER 3 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD

AN 2000-444338 [39] WPIDS

DNC C2000-135339

TI **Nanoemulsion** comprising surfactant and at least one oil with a molecular weight of more than 400, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.

DC A25 A96 B07 D18 D21 E19

IN LEGRET, S; SIMMONNET, J T; SONNEVILLE, O; SIMONNET, J T

PA (OREA) L'OREAL SA

CYC 27

PI EP 1018363 A1 20000712 (200039)* FR 11p

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
RO SE SI

FR 2788007 A1 20000707 (200039)

JP 2000198711 A 20000718 (200040) 8p

EP 1018363 B1 20010321 (200117) FR

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
RO SE SI

KR 2000052462 A 20000825 (200121)

DE 69900065 E 20010426 (200130)

ADT EP 1018363 A1 EP 1999-402913 19991123; FR 2788007 A1 FR 1999-31 19990105;

JP 2000198711 A JP 1999-361819 19991220; EP 1018363 B1 EP 1999-402913

19991123; KR 2000052462 A KR 1999-57227 19991213; DE 69900065 E DE

1999-600065 19991123, EP 1999-402913 19991123

FDT DE 69900065 E Based on EP 1018363

PRAI FR 1999-31 19990105

AB EP 1018363 A UPAB: 20000818

NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with lipid globules having an average size of less than 100 nm contains:

(1) a surfactant such as copolymers of ethylene oxide and propylene oxide blocks; and

(2) at least one oil with a molecular weight of more than 400 and at a lipid phase/surfactant weight ratio of 2-10.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a topical composition comprising the above described composition;
 (2) an ophthalmic support comprising the above described composition;
 (3) a pharmaceutical composition comprising the above described composition;
 (4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
 (5) the preparation of the composition by mixing an aqueous phase and a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition.

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
 Dwg.0/0

L28 ANSWER 4 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD

AN 2000-432927 [38] WPIDS

DNC C2000-131694

TI **Nanoemulsion** comprising surfactant such as fatty esters of glycerol, and at least one oil with a molecular weight of more than 400, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.

DC A96 B05 D21 E19

IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMONNET, J T

PA (OREA) L'OREAL SA

CYC 30

PI EP 1010416 A1 20000621 (200038)* FR 11p

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI

FR 2787326 A1 20000623 (200038)

JP 2000178132 A 20000627 (200042) 7p

CA 2292797 A1 20000617 (200044) FR

CN 1265923 A 20000913 (200062)

BR 9907333 A 20010206 (200111)

KR 2000048108 A 20000725 (200116)

ADT EP 1010416 A1 EP 1999-402915 19991123; FR 2787326 A1 FR 1998-15950

19981217; JP 2000178132 A JP 1999-353752 19991213; CA 2292797 A1 CA

1999-2292797 19991216; CN 1265923 A CN 1999-126428 19991216; BR 9907333 A

BR 1999-7333 19991208; KR 2000048108 A KR 1999-57231 19991213

PRAI FR 1998-15950 19981217

AB EP 1010416 A UPAB: 20000811

NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with the lipid globules having an average size of less than 100 nm contains:

(1) a surfactant (solid at up to 45 deg. C) such as fatty esters of glycerol; and

(2) at least one oil with a molecular weight of more than 400, at a lipid phase/surfactant weight ratio of 2-10.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a topical composition comprising the above described composition;
(2) an ophthalmic support comprising the above described composition;
(3) a pharmaceutical composition comprising the above described composition;
(4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
(5) the preparation of the composition by mixing an aqueous phase and a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition (all claimed).

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
Dwg.0/0

L28 ANSWER 5 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
AN 2000-432926 [38] WPIDS
DNC C2000-131693
TI **Nanoemulsion** comprising surfactant and at least one oil with a molecular weight of more than 400, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.
DC A96 B05 D21 E19
IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMONNET, J T
PA (OREA) L'OREAL SA
CYC 27
PI EP 1010414 A1 20000621 (200038)* FR 10p
R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI
FR 2787026 A1 20000616 (200038)
JP 2000178129 A 20000627 (200042) 7p
KR 2000047999 A 20000725 (200115)
EP 1010414 B1 20010404 (200120) FR
R: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
DE 69900074 E 20010510 (200134)
ADT EP 1010414 A1 EP 1999-402837 19991116; FR 2787026 A1 FR 1998-15764 19981214; JP 2000178129 A JP 1999-352422 19991210; KR 2000047999 A KR 1999-55800 19991208; EP 1010414 B1 EP 1999-402837 19991116; DE 69900074 E DE 1999-600074 19991116, EP 1999-402837 19991116
FDT DE 69900074 E Based on EP 1010414
PRAI FR 1998-15764 19981214
AB EP 1010414 A UPAB: 20000811
NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with lipid globules having an average size of less than 100 nm contains:
(1) a surfactant such as mixed esters of fatty acids or alcohols, carboxylic acid and glycerol; and
(2) at least one oil with a molecular weight of more than 400 and at a lipid phase/surfactant weight ratio of 2-10.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a topical composition comprising the above described composition;
 (2) an ophthalmic support comprising the above described composition;
 (3) a pharmaceutical composition comprising the above described composition;
 (4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
 (5) the preparation of the composition by mixing an aqueous phase and a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition.

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
 Dwg.0/0

L28 ANSWER 6 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
 AN 2000-425152 [37] WPIDS
 DNC C2000-128962
 TI **Nanoemulsion** comprising surfactant and at least one oil with a molecular weight of more than 400, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.
 DC A25 A96 B07 D21 E19
 IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMMONET, J; SIMONNET, J T
 PA (OREA) L'OREAL SA
 CYC 30
 PI EP 1016453 A1 20000705 (200037)* FR 11p
 R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI
 FR 2787703 A1 20000630 (200037)
 JP 2000191503 A 20000711 (200038) 8p
 CA 2293177 A1 20000629 (200045) FR
 CN 1266679 A 20000920 (200063)
 BR 9906206 A 20010206 (200111)
 KR 2000052471 A 20000825 (200121)
 ADT EP 1016453 A1 EP 1999-402855 19991117; FR 2787703 A1 FR 1998-16570 19981229; JP 2000191503 A JP 1999-371720 19991227; CA 2293177 A1 CA 1999-2293177 19991221; CN 1266679 A CN 1999-127471 19991228; BR 9906206 A BR 1999-6206 19991210; KR 2000052471 A KR 1999-57463 19991214
 PRAI FR 1998-16570 19981229
 AB EP 1016453 A UPAB: 20000807
 NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with lipid globules having an average size of less than 100 nm contains:
 (1) a surfactant such as ethoxylated fatty esters or ethers; and
 (2) at least one oil with a molecular weight of more than 400 and at a lipid phase/surfactant weight ratio of 2-10.
 DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:
 (1) a topical composition comprising the above described composition;

(2) an ophthalmic support comprising the above described composition;
 (3) a pharmaceutical composition comprising the above described composition;
 (4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
 (5) the preparation of the composition by mixing an aqueous phase and a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 10^8 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition.

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
 Dwg.0/0

L28 ANSWER 7 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD

AN 2000-414541 [36] WPIDS

DNC C2000-125751

TI **Nanoemulsion** comprising surfactant and at least one oil with a molecular weight of more than 400, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.

DC B05 D21 E19

IN LEGRET, S; SIMMONET, J; SONNEVILLE, O; SIMONNET, J T

PA (OREA) L'OREAL SA

CYC 27

PI EP 1013338 A1 20000628 (200036)* FR 9p

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI

FR 2787728 A1 20000630 (200036)

JP 2000191502 A 20000711 (200038) 7p

KR 2000062214 A 20001025 (200124)

ADT EP 1013338 A1 EP 1999-402856 19991117; FR 2787728 A1 FR 1998-16370
 19981223; JP 2000191502 A JP 1999-361818 19991220; KR 2000062214 A KR
 1999-59292 19991220

PRAI FR 1998-16370 19981223

AB EP 1013338 A UPAB: 20000801

NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with the lipid globules having an average size of less than 100 nm contains:

(1) a surfactant (solid at up to 45 deg. C) such as fatty esters of phosphoric acids and their ethoxylated derivatives;

(2) at least one oil with a molecular weight of more than 400, at a lipid phase/surfactant weight ratio of 2-10.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a topical composition comprising the above described composition;

(2) an ophthalmic support comprising the above described composition;

(3) a pharmaceutical composition comprising the above described composition;

(4) a cosmetic method for the care and/or hydration of the skin,

mucosa and/or scalp by applying the above described composition; and
 (5) the preparation of the composition by mixing an aqueous phase
 and
 a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition (claimed).

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
 Dwg.0/0

L28 ANSWER 8 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD

AN 2000-414363 [36] WPIDS

DNC C2000-125649

TI **Nanoemulsion** comprising surfactant, oil with a molecular weight of more than 400 and ionic **amphiphilic lipid**, useful as cosmetic composition or for preparing dermatological or ophthalmological composition.

DC A96 B05 D21 E19

IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMMONET, J; SIMONNET, J T

PA (OREA) L'OREAL SA

CYC 30

PI EP 1010415 A1 20000621 (200036)* FR 10p

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
 RO SE SI

FR 2787325 A1 20000623 (200036)

JP 2000178131 A 20000627 (200036) 7p

CA 2292796 A1 20000617 (200044) FR

CN 1265879 A 20000913 (200062)

BR 9907331 A 20010206 (200111)

KR 2000048105 A 20000725 (200116)

ADT EP 1010415 A1 EP 1999-402875 19991119; FR 2787325 A1 FR 1998-15949

19981217; JP 2000178131 A JP 1999-353750 19991213; CA 2292796 A1 CA

1999-2292796 19991216; CN 1265879 A CN 1999-126429 19991216; BR 9907331 A

BR 1999-7331 19991207; KR 2000048105 A KR 1999-57228 19991213

PRAI FR 1998-15949 19981217

AB EP 1010415 A UPAB: 20000801

NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with the lipid globules having an average size of less than 100 nm contains:

(1) a surfactant (solid at up to 45 deg. C);

(2) at least one oil with a molecular weight of more than 400; and

(3) at least one ionic **amphiphilic lipid**.

DETAILED DESCRIPTION - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with the lipid globules having an average size of less than 100 nm contains:

(1) a surfactant (solid at up to 45 deg. C) such as sorbitan fatty esters optionally oxyethylenated;

(2) at least one oil with a molecular weight of more than 400; and

(3) at least one ionic **amphiphilic lipid** such as alkaline salts of dicetyl- and dimyristylphosphate, alkaline salts of cholesterol sulfate or phosphate, lipoaminoacids, sodium salts of

phosphatidic acid, cationic **amphiphilic lipid** or alkylsulfonic derivatives at a lipid phase/surfactant weight ratio of 2-10.

INDEPENDENT CLAIMS are also included for:

- (1) a topical composition comprising the above described composition;
- (2) an ophthalmic support comprising the above described composition;
- (3) a pharmaceutical composition comprising the above described composition;
- (4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
- (5) the preparation of the composition by mixing an aqueous phase and a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition.

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
Dwg.0/0

L28 ANSWER 9 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD

AN 2000-414362 [36] WPIDS

DNC C2000-125648

TI **Nanoemulsion** comprising surfactant such as esters or ethers of fatty acid and sugar, and at least one oil with a molecular weight of more than 400, useful as cosmetic, dermatological or ophthalmological composition.

DC A96 B05 D21 E19

IN LEGRET, S; SIMONNET, J; SONNEVILLE, O; SIMONNET, J T

PA (OREA) L'OREAL SA

CYC 30

PI EP 1010413 A1 20000621 (200036)* FR 12p

R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

FR 2787027 A1 20000616 (200036)

JP 2000178130 A 20000627 (200036) 9p

CA 2292241 A1 20000614 (200044) FR

CN 1257704 A 20000628 (200050)

BR 9907330 A 20010206 (200111)

KR 2000048107 A 20000725 (200116)

ADT EP 1010413 A1 EP 1999-402836 19991116; FR 2787027 A1 FR 1998-15765

19981214; JP 2000178130 A JP 1999-352423 19991210; CA 2292241 A1 CA

1999-2292241 19991213; CN 1257704 A CN 1999-126145 19991213; BR 9907330 A

BR 1999-7330 19991206; KR 2000048107 A KR 1999-57230 19991213

PRAI FR 1998-15765 19981214

AB EP 1010413 A UPAB: 20000801

NOVELTY - A **nanoemulsion** comprising a dispersed lipid phase in an aqueous phase with the lipid globules having an average size of less than 100 nm contains:

(1) a surfactant (solid at up to 45 deg. C) such as esters or ethers of fatty acid and sugar; and
 (2) at least one oil with a molecular weight of more than 400, at a lipid phase/surfactant weight ratio of 2-10.
 DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:
 (1) a topical composition comprising the above described composition;
 (2) an ophthalmic support comprising the above described composition;
 (3) a pharmaceutical composition comprising the above described composition;
 (4) a cosmetic method for the care and/or hydration of the skin, mucosa and/or scalp by applying the above described composition; and
 (5) the preparation of the composition by mixing an aqueous phase and
 a lipid phase at 10-80 deg. C and homogenizing the mixture at 6×10^7 - 18×10^7 Pa.

USE - The **nanoemulsion** is useful as a cosmetic composition for the care, treatment and/or make-up of the skin and/or scalp, and the care and/or treatment of hair. The **nanoemulsion** is useful for preparing a dermatological composition for treating dry skin, or an ophthalmological composition (all claimed).

ADVANTAGE - The **nanoemulsion** is storage stable, may contain a large amount of oil as well as keeping a good transparency and cosmetic properties.
 Dwg.0/0

L28 ANSWER 10 OF 10 WPIDS COPYRIGHT 2001 DERWENT INFORMATION LTD
 AN 1992-283883 [34] WPIDS
 CR 1992-357634 [44]
 DNC C1992-126262
 TI Aq. cosmetic emulsion compsns. - comprising **quat.**
ammonium functionalised phosphate ester, and cationic polysaccharide.
 DC A96 D21 E11
 IN CHENEY, M C; ZIEGLER, P D
 PA (UNIL) UNILEVER PLC; (UNIL) UNILEVER NV; (CHEO) CHESEBROUGH PONDS USA CO;
 (CONO-N) CONOPCO INC
 CYC 7
 PI US 5135748 A 19920804 (199234)* 7p
 CA 2061679 A 19920829 (199246)
 TW 206917 A 19930601 (199339)
 ZA 9201521 A 19931027 (199348) 42p
 AU 655229 B 19941208 (199505)
 JP 07014848 B2 19950222 (199512) 13p
 CA 2061679 C 19970603 (199734)
 KR 9701639 B1 19970213 (199934)
 ADT US 5135748 A US 1991-662680 19910228; CA 2061679 A CA 1992-2061679
 19920221; TW 206917 A TW 1992-101448 19920226; ZA 9201521 A ZA 1992-1521
 19920228; AU 655229 B AU 1992-11356 19920228; JP 07014848 B2 JP
 1992-43709
 19920228; CA 2061679 C CA 1992-2061679 19920221; KR 9701639 B1 KR
 1992-3150 19920228
 FDT AU 655229 B Previous Publ. AU 9211356; JP 07014848 B2 Based on JP
 04338312
 PRAI US 1991-662680 19910228; US 1991-662880 19910228

AB US 5135748 A UPAB: 19991201

Aq. compsn. comprises 0.1-30% of a quat. NH₄ functionalised phosphate ester (RCONH(CH₂)₃NMe₂+CH₂CHOHCH₂O)PO X³⁻ (I), and 0.1-10% of a cationic polysaccharide (II) where: R = 5-17C alkyl, X = anion.

Pref. compsns. contain (by wt.) 1-5% (I), and 0.2-1% (II). (I) is present pref. as the main emulsifier and surfactant of the compsn. Pref. (II) are substd. with a quat. NH₄ gp. having at least 1 12-22C alkyl

(esp.

lauryl, coco, and stearyl). Pref. emulsion contains (by wt.): 2.5% cetyl alcohol, 1.5% glyceryl monostearate, 2% i-Pr palmitate, 2% petrolatum,

and

Pr paraben as Phase (A); and 78.395% H₂O, 10% glycerol, 0.25% 'Quatrisoft LM-200' (RTM)-(II), 3% 'Monaquat P-TS' (RTM)-(I), 0.005% 'Antifoam AF' (RTM), 0.15% Me paraben, and 0.1% TiO₂ as Phase (B).

USE/ADVANTAGE - The aq. emulsions are useful as cosmetic compsns. possessing improved skin moisture retention with a relatively low human tissue irritancy. In addn., the phases of the compsns. resist sepn. even under extended freeze-thaw cyccli
Dwg.0/0